

REPORT DATE: 02/06/2009

TEST REPORT

CUSTOMER: Fractiles, Inc.

2525 Arapahoe Ave Ste E4-110

Boulder, CO 80302

USA

Attn: Beverly Johnson

Product Name: Fractiles Magnetic Tiling Toy Sets – Travel

Age labeling: 6 and Over
Age grading: 6 and Over
Supplier: Fractiles, Inc.
Sample received date: 01/27/2009
Date of testing ended: 02/06/2009

TEST CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

CONCLUSION:

<u>Tested Samples</u> <u>Standard</u> <u>Result</u>

Fractiles Magnetic Tiling Toy 1. ASTM F963-07 Physical & Mechanical 1. Does Comply

Sets – Travel (Including Magnet Flux)

ASTM F963-07 Flammability
 Does Comply
 Total Lead in Substrates (CPSIA)
 Does Comply
 Phthalates - 6
 Did Not Exceed

PAGE 1/TO BE CONTINUED TOTAL 12 PAGES

PREPARED BY: SIGNED FOR THE COMPANY BY:

Kunevey V. Cape Ao

Kimberly Caputa John Nam

Account Manager Technical Support Expert

The test results stated in this report relate only to the item(s) tested. This test report may not be reproduced except in full, without written approval of Intertek.

Tests identified with an asterisk (*) have been subcontracted.



REPORT DATE: 02/06/2009

1. Mechanical Hazards: Safety of Toys (ASTM F963-07⁶¹)

Sample ID: Fractiles Magnetic Tiling

Toy Sets – Travel

Labeled Age Group:For Ages 6 to AdultAppropriate Warning Labeling:N/ARecommended Age Grading:For Ages 6 to AdultMachine Washable Plush Toy:N/ATested Age Grade:For Ages 6 to AdultNumber of Samples:1

<u>Procedure:</u> The submitted samples were tested to the applicable sections of *ASTM F963-07*^{ϵ 1} requirements.

P = Pas	F = Fail N		N/A = Not	I/A = Not Applicable		
Clause		Description		Р	F	N/A
4	SAFETY REQUIREMENTS					
4.1	Material quality (visual check	on cleanliness)		\boxtimes		
4.3.7	Stuffing materials (visual chec	ck on contaminations)				\boxtimes
4.5	Sound producing toys					
4.5.1.1	Continuous sound produced by	close to the ear toys – L _{Aeq}				
4542	Continuous sound produced by	, all other toys – L _{Aeq}				\boxtimes
4.5.1.2	Maximum sound produced by I	pull along toys – L _{Amax}				\boxtimes
4.5.1.3	Impulsive sound produced by c	close to the ear toys – L _{Cpeak}				\boxtimes
4.5.1.4	Impulsive sound produced by all other toys - L _{Cpeak}					\boxtimes
4.5.1.5	Impulsive sound produced by percussion caps and explosive – L _{Cpeak}					
4.6	Small objects					
4.6.1	Toys intended for children under	er 36 months of age				
4.6.2	Mouth actuated toys					
4.6.3	Toys and games for 36 months	to 72 months—Small part wa	arning			\boxtimes
4.7	Accessible edges (under 8 year	rs of age)				
4.7.1	Potential sharp metal and glass	5				
4.7.2	Functional sharp edge 48 to 96	monthswarning				\boxtimes
4.7.3	Metal toys			\boxtimes		
4.7.4	Molded toys					



P = Pass		s F = Fail	N/A = Not Applicable
	4.7.5	Exposed bolts or threaded rods	
4.8		Projections (under 8 years of age)	
4.9		Accessible points (under 8 years of age)	
	4.9.1	Potential sharp point	
	4.9.2	Functional sharp point 48 to 96 monthswarning	
	4.9.3	Wood	
4.10		Wires or rods	
4.11		Nails and fasteners	
*4.12		Packaging film	
4.13		Folding mechanisms and hinges	
	4.13.1	Folding mechanisms	
	4.13.2	Hinge line clearance	
4.14		Cords and elastics	
	4.14.1	Cords, straps and elastics (less than 18 months of age)	
	4.14.1.1	Break-away feature	
	4.14.2	Self retracting pull cords (less than 18 months of age)	
	4.14.3	Pull toys (less than 36 months of age)	
	4.14.4	Strings and lines for flying devices	
	4.14.4	Cords on toy bags intended for children up to 18 months	
4.15		Stability and overload requirement	
	4.15.2	Sideway stability requirements (60 months of age or les	s)
	4.15.2.1	Feet available for stabilization:	
	4.15.2.2	Feet unavailable for stabilization:	
	4.15.3	Fore and aft stability (60 months of age or less)	
	4.15.4	Stationary floor toys	
	4.15.5	Overload requirements for ride on toys and seat	
4.16		Confined spaces	
	4.16.1	Ventilation	



P = Pas	ss	F = Fail	N/A = N		licable	
4.16.2	Closures		•			\boxtimes
4.16.3	Toys that o	Toys that enclose the head				
4.17	Wheels, ti	res, and axles (aged 96 months or less)				
4.18	Holes, clea	arance, and accessibility of mechanisms				
4.18.1	Accessible	clearances for moveable segments (under 96 mor	nths of age)			
4.18.2	Circular ho	oles in rigid materials (aged 60 months or less)				
4.18.3	Chains and	d belts				\boxtimes
4.18.3.1	Supporting	g chains (36 months or less in age)				\boxtimes
4.18.3.2	Chains or I	belts for ride on toys				\boxtimes
4.18.4	Inaccessib	ility of mechanisms (aged 60 months or less)				\boxtimes
4.18.5	Winding k	eys (under 36 months of age)				\boxtimes
4.18.6	Coil spring	gs				\boxtimes
4.19	Simulated	protective devices				
4.19.1	Eye proted	ction				
4.19.2	Simulate s	afety protective deviceslabel				
4.20	Pacifiers (under 36 months of age)				
4.20.2	Small obje	ects				\boxtimes
4.20.2	Nipple len	gth:				
	16 CFR 15:	11: APPLICABLE//NOT APPLICABLE				
*4.21	Projectile	toys				
4.21.1.1	Sharp poir	nt/edge, small part				\boxtimes
4.21.1.2	Tip radius					\boxtimes
4.21.1.3	Kinetic en	ergy and resilient impact surface				\boxtimes
4.21.1.4	Protective	tip				\boxtimes
4.21.2	Discharge	mechanisms—improvised projectiles				\boxtimes
4.21.3	Arrow					\boxtimes
4.22	Teethers a	and teething toys				
4.22.1	Rattle fixtu	ure				
4.22.2	Suppleme	ntal fixture				\boxtimes
	-1					



P = Pass		5	F = Fail	N/A = N	ot App	licable	;
4.23		Rattles					
		16 CFR 15	10 requirement and rattle fixture				\boxtimes
	4.23.1	Suppleme	ntal fixture				\boxtimes
4.24		Squeeze t	oys (under age of 18 months)				
	4.24.1	Rattle fixt	ure				\boxtimes
	4.24.2	Suppleme	ntal fixture				\boxtimes
4.25		Battery o	perated toys				
	4.25.1	Marking c	f Battery compartment				\boxtimes
4	1.25.1.1	Toys cont with 5.15	aining non-replaceable batteries shall be labeled	in accordance			\boxtimes
	4.25.2	Maximum	DC potential				\boxtimes
	4.25.3	Unable to	charge non-rechargeable batteries				\boxtimes
	4.25.4	Accessibil	ity of batteries (under 3)				\boxtimes
	4.25.5	Accessibil	Accessibility of batteries - small parts				\boxtimes
	4.25.6	Isolated c	ircuits				\boxtimes
	4.25.7	Surface te	emperature of batteries (less than 71°C)				\boxtimes
	4.25.8	No short o	circuits				\boxtimes
	4.25.9	Instructio	ns				\boxtimes
	4.25.10	Battery O	perated Ride On Toys				\boxtimes
4.26		Toys inter	nded to be attached to a crib or playpen				
	4.26.1	Protrusion	ns				\boxtimes
	4.26.2	Crib mobil	e				\boxtimes
	4.26.3	Crib gyms	Crib gyms				\boxtimes
*4.27		Toy chests					
	4.27.1	Lid support					\boxtimes
1	4.27.1.1	0.5 inch dı	гор				\boxtimes
4	4.27.1.2	after 7000	open close cycles				\boxtimes
2	4.27.1.3	Not requir	re adjustment				\boxtimes
2	4.27.1.4	Lid support mechanism clearance					\boxtimes



Р				N/A = N	ot App	licable	<u> </u>
4.	.27.2	Hinge line clearance	·				\boxtimes
4.	.27.3	Closures					\boxtimes
4.	.27.4	Ventilation	Ventilation				
4.	.27.5	Safety labeling and instruction					\boxtimes
4.28		Stuffed and beanbag type toys					\boxtimes
4.29		Stroller and carriage toys					\boxtimes
4.30		Art materials					\boxtimes
*4.31		Toy gun marking					\boxtimes
4.32		Balloons—safety labeling					\boxtimes
4.33		Certain toys with spherical ends					
4.	.33.1	Spherical ends attached to a shaft (up to the age of 18 m	onths)				
4.	.33.3	Preschool play figures (under 3 years of age)					\boxtimes
4.34		Marbles (3 years of age or older)					
4.	.34.1	Toys and games contain marble (at least 3 but less than 8	g years of ag	ge)			
4.35		Balls					
4.	.35.1	Balls/loose balls in toys for children under 36 months of a	age				
4.	.35.2	Toys contain loose small ball (at least 3 but less than 8 ye	ars of age)				\boxtimes
4.36		Pompoms (under 3 years of age)					\boxtimes
*4.37		Hemispherical shaped objects (under 3 years of age)					\boxtimes
		Have at least 2 opening: YES/NO					
		Interrupted at center: YES/NO					
		Have 3 openings: YES/NO					\boxtimes
		Scalloped edge: YES/NO					\boxtimes
		One big opening: YES/NO					
*4.38		Yo Yo elastic tether toys (3 years and older)					\boxtimes
4.39		Magnets					
4.	39.1	Safety labeling					\boxtimes
4.	39.2	After abuse testing			\boxtimes		



P = Pass		s F = Fail	N/A = Not Applica	able
5		LABELING REQUIREMENTS		
5.4		Aquatic toys		
5.5		Crib and playpen toys		
	5.5.1	Age grading		
	5.5.2	Safety labeling		
5.6		Mobile		
	5.6.1	Age grading		
	5.6.2	Safety labeling		
5.7		Stroller and carriage toys		
5.8		Toys intended to be assembled by an adult		
5.9		Simulated protective devices		
5.10		Toys with functional sharp edges or points		
5.11		Small objects, small balls, marbles, and balloons		
5.12		Toy caps		
5.13		Art materials		
5.14		Electric toys		
5.15		Battery operated toys		
	5.15.1	Battery powered ride on toys		
5.16		Promotional materials		
5.17		Magnets		
6		INSTRUCTIONAL LITERATURE		
6.1		Definition and description		
6.2		Toy chests		
6.3		Crib and playpen toys		
6.4		Mobiles		
6.5		Toys intended to be assembled by an adult		
6.6	_	Battery operated toys		
	6.6.3	Battery powered ride on toys		



REPORT DATE: 02/06/2009

P = Pass		F = Fail	N/A = N	N/A = Not Applicable		
6.7	Toys in co	Toys in contact with food				\boxtimes
7	PRODUCE	R'S MARKING				
7.1	Name YES Address Y					
7.2	Toy chests	<u> </u>				\boxtimes
7.3	Battery po	owered ride on toys				\boxtimes

<u>Conclusion:</u> When tested as specified, the submitted sample **does comply** with the *ASTM F963-07*^{ϵ 1} requirements for Mechanical Hazards.



REPORT DATE: 02/06/2009

2. Flammability: Federal Hazardous Substances Act and ASTM F963-07^{€1}

<u>Procedure:</u> The method of testing was that described in **16** *CFR* **1500.44** of the *Federal Hazardous Substances Act and ASTM F963-07*^{ϵ_1} for rigid and pliable solids.

<u>Requirement:</u> A material is considered "flammable" if it ignites and burns with a self-sustained flame at a rate greater than 0.1 inches per second along its major axis.

NOTE:

It is our understanding that a sample is considered as having passed the test requirement if it self-extinguishes before burning 6 inches and prior to the lapse of 60 seconds.

Sample ID: Fractiles Magnetic Tiling Toy Sets - Travel

	Area of Initial Flame Contact	Burn Length (inches)	Time (seconds)	Burn Rate (inches/second)
Burn 1	One Tile			IBE
Burn 2	One Board			DNI

- All components were tested; the above result represented the strictest burn-rate.

DNI = Did Not Ignite IBE = Ignited, But Extinguished

<u>Conclusion</u>: Based upon the results of the test reported above, the submitted sample **does comply** with the requirements of the U.S. Federal Hazardous Substances Act, 16 CFR 1500.44 and ASTM F963- 07^{ϵ_1} , Section 4.2.



REPORT DATE: 02/06/2009

3. Chemical Analysis: Total Lead in Substrates

<u>Procedure:</u> Acid digestion per **EPA 3050B/3051** was used and the total lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Requirement:</u> The lead content shall not exceed 600 ppm of any part of the product as required by the **Consumer Product Safety Improvement Act of 2008 (CPSIA 2008).**

However, as of August 14, 2009, the limit for total lead content will be lowered to 300 ppm.

<u>Sample ID:</u> Fractiles Magnetic Tiling Toy Sets – Travel

Sample Utilized: Complete Product Digested

Test Results:

Parameter		Limit (ppm)			
	1	2	3	4	
Total Lead	<10	<10	<10	100.7	600

Component	Description
1	Red Magnetic Tile
2	Yellow Magnetic Tile
3	Blue Magnetic Tile
4	Black Board

*Failed Item

<u>Conclusion</u>: When tested as specified, the submitted sample **does comply** with the requirements set forth in the <u>Consumer Product Safety Improvement Act of 2008</u> (CPSIA 2008/H.R. 4040), Title I, Section 101 for total lead content in substrates.



REPORT DATE: 02/06/2009

4. Chemical Analysis: Consumer Product Improvement Act of 2008 – Sec. 108 Phthalate Content:

PHTHALATE BAN: - Beginning February 10th, 2009 it shall be unlawful for any person to manufacture for sale, offer for sale, distribute in commerce, or import into the United States any children's toy or child care article that contains concentrations of more than 0.1 percent of di-(2-ethylhexyl) phthalate (DEHP), dibutyl phthalate (DBP), or benzyl butyl phthalate (BBP).

INTERIM PROHIBITION: - Beginning February 10th, 2009 and until a final rule is promulgated, it shall be unlawful for any person to manufacture for sale, offer for sale, distribute in commerce, or import into the United States any children's toy that can be placed in a child's mouth or child care article that contains concentrations of more than 0.1 percent of diisononyl phthalate (DINP), diisodecyl phthalate (DIDP), or di-n-octyl phthalate (DnOP).

PROCEDURE: Sample extraction by Soxhlet (ASTM D3421); Ultrasonic; or Microwave method

Analysis: Gas Chromatographic-Mass Spectrometric (GC-MS)

REQUIREMENTS:

• DEHP, DBP, or BBP – not to exceed 0.1%

• Interim Prohibition - DINP, DIDP, or DnOP - not to exceed 0.1%

Sample ID: Fractiles Magnetic Tiling Toy Sets – Travel

		RESULT (% (w/w))				
	1	2	3	4	5	
Dibutyl Phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl Hexyl Phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Butyl Benzyl Phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-(<i>n</i> -octyl) Phthalate (DnOP)	ND	ND	ND	ND	ND	0.1
Di-(iso-decyl) Phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-(iso-nonyl) Phthalate (DINP)	ND	ND	ND	ND	ND	0.1


Component	Description
1	Red Magnetic Tile
2	Yellow Magnetic Tile
3	Blue Magentic Tile
4	Black Board
5	Clear Plastic Bag

^{**}ND=Not Detected (<0.005%)

<u>Conclusion:</u> The submitted toy and / or Childcare article(s) **did not exceed** the limit for the Phthalates specified in the Section 108 (a) and (b) of the Consumer Product Safety Improvement Act of 2008.

^{*}Failed Item





End of Report